

**METHYL OLEATE  
PME 1898 PK\***  
(CAS# 112-62-9)



PARAMETERS	SPECIFICATION	TEST METHOD
Appearance	Clear Liquid	
Acid Value	1.0 max	ASTM D 1980-87
Saponification Value	185 – 195	ASTM D 5558-95
Iodine Value	80 – 90	ASTM D 5554-95
Moisture, %	0.1 max	ASTM D 6304-00
Titer, °C	ca. 5	ASTM D 1982-85
Color, Lovibond 5.25”	2.0Y / 0.2R	AOCS Cc 13e-92
Carbon Chain Distribution, %:		In-house method by GC
C16	7.0 max	
C18	7 – 12	
C18:1	68 – 78	
C18:2	7 – 13	
C20	1.5 max	

\* Palm Kernel-based

Date: November 9, 2010  
/1861