

Safety Data Sheetaccording to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and RegulationsRevision Date: 12/17/2013Supersedes: 10/21/2013

Version: 1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1. Product Identifier

Product Form: Substance

Product Name: Hydrogenated Castor Oil

Synonyms: Hydrogenated Castor Oil, HCO CAS No.: 8001-78-3

1.2. Intended Use of the Product

Use of the substance/mixture: Thickener in lithium grease, emulsion in personal care applications

1.3. Name, Address, and Telephone of the Responsible Party

Company

Acme-Hardesty Co. 450 Sentry Parkway Blue Bell, PA 19422 T 866-226-3834 T 215-591-3610 www.acme-hardesty.com

1.4. Emergency Telephone Number

Emergency Number : 800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC - Day or Night

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US) Not classified

2.2. Label Elements

GHS-US Labeling

Not applicable

2.3. Other Hazards

No additional information available

2.4. <u>Unknown Acute Toxicity (GHS-US)</u>:

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Name	Product Identifier	%	Classification (GHS-US)
Hydrogenated castor oil (CAS No) 8001-78-3		100	Not classified

3.2. Mixtures

Not applicable

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area.

First-aid Measures After Skin Contact: Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Prolonged contact with large amounts of dust may cause mechanical irritation.

Symptoms/Injuries After Inhalation: Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.

Symptoms/Injuries After Skin Contact: Not irritating to skin.

Symptoms/Injuries After Eye Contact: Dust from this product may cause minor eye irritation.

Symptoms/Injuries After Ingestion: May cause nausea, vomiting, and diarrhea.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Use extinguishing media appropriate for surrounding fire. Carbon dioxide, dry chemical, foam, water spray, sand.

Unsuitable Extinguishing Media: Do not use a heavy water stream. Use of heavy stream of water may spread fire.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: May be combustible at high temperature.

Explosion Hazard: Risk of explosion by shock, friction, fire or other sources of ignition. Risk of explosion if heated under confinement.

Reactivity: Stable at ambient temperature and under normal conditions of use.

5.3. Advice for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Do not allow product to spread into the environment. Avoid generating dust. Can be slippery on hard, smooth walking area.

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Avoid generation of dust during clean-up of spills. Use a soft bristle brush or conductive rubber or conductive plastic shovel. Use caution, material is sensitive to initiation from sources such as heat, flame, shock, friction, or sparks. Use only non-sparking tools.

Methods for Cleaning Up: Clear up spills immediately and dispose of waste safely.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Additional Hazards When Processed: Use care during processing to minimize generation of dust.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Storage Temperature: In bulk, store at about 5-10°C above melting point or at ambient temperature.

Storage Area: Temperature higher than necessary degrades quality at rates dependent on time and temperature of exposure. **Special Rules on Packaging:** Stainless steel preferred for storage.

Incompatible Products: Strong acids. Strong bases. Strong oxidizers.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Storage Temperature: In bulk, store at about 5-10°C above melting point or at ambient temperature.

Storage Area: Temperature higher than necessary degrades quality at rates dependent on time and temperature of exposure. **Special Rules on Packaging:** Stainless steel preferred for storage.

7.3. Specific End Use(s) Thickener in lithium grease, emulsion in personal care applications

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

8.2. Exposure Controls

Appropriate Engineering Controls

Personal Protective Equipment

: Avoid dust production. Ground/bond container and receiving equipment.

: Gloves. Protective goggles. Dust formation: dust mask.



Hand Protection Eye Protection Respiratory Protection

- : Rubber gloves.
 - : Chemical goggles or safety glasses.
 - When manufacturing or handling product in large quantities and dusts or particulates may be generated, maintain airborne concentrations below recommended limits. Workplace risk assessments should be completed before specifying and implementing respirator usage. NIOSH/MSHA approved respirators for protection should be used if respirators are found to be necessary.
 When using, do not eat, drink or smoke.

Other Information

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on Basic Physical and Chemical Properties				
Physical State	: Solid			
Appearance	: Flakes. White powder.			
Odor	: Hardened vegetable oil.			
Odor Threshold	: No data available			
рН	: No data available			
Relative Evaporation Rate (butylacetate=1)	: No data available			
Melting Point	: 82 - 87 °C (179.6-188.6°F)			
Freezing Point	: No data available			
Boiling Point	: > 300 °C (572°F)			
Flash Point	: > 310 °C (590°F)			
Auto-ignition Temperature	: No data available			
Decomposition Temperature	: No data available			
Flammability (solid, gas)	: No data available			
Vapor Pressure	: 3.81E-34 Pa at 20 °C.			
Relative Vapor Density at 20 °C	: No data available			
Relative Density	: ~99 @ 25 °C			
Specific Gravity	: 0.93 g/cm ³ @25°C			
Solubility	: Water: < 0.05 mg/l @20°C			
	Ether: Soluble			
	Organic solvent:Soluble			
Log Pow	: No data available			
Log Kow	: No data available			
Viscosity, Kinematic	: No data available			
Viscosity, Dynamic	: No data available			
Explosive Properties	: No data available			
Oxidizing Properties	: No data available			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive Limits

: Not applicable

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: Stable at ambient temperature and under normal conditions of use

10.2 Chemical Stability: Risk of explosion by shock, friction, fire or other sources of ignition. Risk of explosion if heated under confinement.

10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4 Conditions to Avoid: Avoid creating or spreading dust. Avoid ignition sources.

10.5 Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

10.6 Hazardous Decomposition Products: Carbon oxides (CO, CO2).

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity : Not classified

Hydrogenated castor oil (8001-78-3) LD50 Oral Rat

> 10 g/kg

Skin Corrosion/Irritation: Not classified

Serious Eye Damage/Irritation: Not classified

Respiratory or Skin Sensitization: Not classified Germ Cell Mutagenicity: Not classified Carcinogenicity: Not classified

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure.

Symptoms/Injuries After Skin Contact: Not irritating to skin.

Symptoms/Injuries After Eye Contact: Dust from this product may cause minor eye irritation.

Symptoms/Injuries After Ingestion: May cause nausea, vomiting, and diarrhea.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Hydrogenated castor oil (8001-78-3)				
LC50 Fi	sh 1	> 10000 mg/l (Exposure time: 96 h - Species: Brachydanio rerio)		
12.2.	Persistence and Degradability			

Hydrogenated Castor Oil

Persistence and Degradability Readily biodegradable in water.

12.3. Bioaccumulative Potential

Hydrogenated Castor Oil

Bioaccumulative Potential

Not established.

12.4. Mobility in Soil No additional information available

12.5. Other Adverse Effects

No additional information available

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.

Safety Data Sheet

Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 14: TRANSPORT INFORMATION

In Accordance With ICAO/IATA/DOT/TDG

14.1. UN Number Not applicable

14.2. UN Proper Shipping Name Not regulated for transport.

14.3. Additional Information

: No supplementary information available.

Transport by Sea Not regulated for transport.

Air Transport Not regulated for transport.

SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

Hydrogenated castor oil (8001-78-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations

Hydrogenated Castor Oil	
State or local regulations	The product and/or its components does not appear on any state
	Right to Know lists.

SECTION 16: OTHER INFORMATION

Other Information

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

The data herein are based on our current knowledge and believed to be reliable. Acme-Hardesty Co., provides this information without any representation or warranty, expressed or implied, regarding its accuracy or correctness.

Users must make their own determination that handling, storage, use and disposal of the product in the anticipated manner is safe and appropriate. Because these actions of the user are out of our control, and may be beyond our knowledge, we do not assume responsibility and expressly disclaim liability for loss, damage, expense or any other claim arising out of or in any way connected with the handling, storage, use or disposal of the product or container.

SDS US (GHS HazCom) - US Only