

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 09/12/2014

Version: 1.0

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1. Product Identifier

Product Name: Caprylic Acid 99% FGK CAS No: 124-07-2

Synonyms: Caprylic Acid, Octanoic Acid

1.2. Intended Use of the Product

Use of the substance/mixture: Per FDA 21CFR - Coatings on fresh citrus fruit, Fatty acids, Chemicals used in washing or to assist in the peeling of fruits and vegetables, In foods as a lubricant, binder, & defoaming agents & as a component in manufacturing of other "food grade" additives, Peroxyacids, Sanitizing Solutions, Caprylic acid (GRAS)

1.3. Name, Address, and Telephone of the Responsible Party

Company Acme-Hardesty Co. 450 Sentry Parkway Blue Bell, PA 19422 T 866-226-3834 T 215-591-3610 www.acme-hardesty.com 1.4. Emergency Telephone Number

Emergency Number : 800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC - Day or Night

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the Substance or Mixture

Classification (GHS-US) Skin Corr. 1B H314 Eye Dam. 1 H318

2.2. Label Elements

GHS-US Labeling Hazard Pictograms (GHS-US)

L.	
CUSOF	

:

Signal Word (GHS-US)	: Danger
Hazard Statements (GHS-US)	: H314 - Causes severe skin burns and eye damage
	H318 - Causes serious eye damage
Precautionary Statements (GHS-US)	: P260 - Do not breathe mist, spray, vapors
	P264 - Wash exposed areas. thoroughly after handling
	P280 - Wear eye protection, protective clothing, protective gloves
	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting
	P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all
	contaminated clothing. Rinse skin with water/shower
	P304+P340 - IF INHALED: Remove person to fresh air and keep at rest in a position
	comfortable for breathing
	P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing
	P310 - Immediately call a POISON CENTER or doctor/physician
	P321 - Specific treatment (see Section 4)
	P363 - Wash contaminated clothing before reuse
	P405 - Store locked up
	P501 - Dispose of contents/container according to local, regional, national, and
	international regulations

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other Hazards

No additional information available

2.4. Unknown Acute Toxicity (GHS-US)

No data available

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substance

Not applicable

3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)
Octanoic acid	(CAS No) 124-07-2	>= 99	Skin Corr. 1B, H314
			Eye Dam. 1, H318

Full text of H-phrases: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of First Aid Measures

First-aid Measures General: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/physician.

First-aid Measures After Skin Contact: Remove contaminated clothing. Immediately flush skin with plenty of water for at least 60 minutes. Immediately call a POISON CENTER or doctor/physician. Wash contaminated clothing before reuse.

First-aid Measures After Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/Injuries: Causes severe skin burns and eye damage. Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Corrosive. Causes burns.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None known.

4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing Media

Suitable Extinguishing Media: Carbon dioxide, dry chemical. Use extinguishing media appropriate for surrounding fire. **Unsuitable Extinguishing Media:** Do not use water jet. Use of heavy stream of water may spread fire. Do not use water.

5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

5.3. Advice for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

6.1.2. For Emergency Responders

Protective Equipment: Equip cleanup crew with proper protection.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Emergency Procedures: Ventilate area.

6.2. Environmental Precautions

Prevent entry to sewers and public waters.

6.3. Methods and Material for Containment and Cleaning Up

For Containment: Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams.

Methods for Cleaning Up: Collect spillage. Clear up spills immediately and dispose of waste safely.

6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for Safe Handling

Precautions for Safe Handling: Do not breathe mist, vapours, spray.

Hygiene Measures: Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do no eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures: Comply with applicable regulations.

Storage Conditions: Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Storage Area: Store locked up.

7.3. Specific End Use(s) See Section 1

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.

8.2. Exposure Controls

Appropriate Engineering Controls

: Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal Protective Equipment

Gloves. Protective goggles. Insufficient ventilation: wear respiratory protection.



Materials for Protective Clothing
Hand Protection
Eye Protection
Skin and Body Protection
Respiratory Protection

- : Chemically resistant materials and fabrics.
- : Wear chemically resistant protective gloves.
 - : Chemical goggles or face shield.
 - : Wear suitable protective clothing.
 - If exposure limits are exceeded or irritation is experienced, NIOSH approved respiratory protection should be worn.
 When using, do not eat, drink or smoke.

Other Information

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.	Information	on Basic Physical	and Chemica	l Properties
Dhysica	l Stato			Liquid

Physical State	: Liquid
Appearance	: Colorless.
Odor	: Unpleasant.
Odor Threshold	: No data available
рН	: Not applicable
Relative Evaporation Rate (butylacetate=1)	: No data available
Melting Point	: ~ 16 - 16.85 °C
Freezing Point	: No data available
Boiling Point	: 237 °C (458.6°F) @ 1013 mbar
Flash Point	: 130 - 136 °C (266 - 276.8°F) Cleveland Open Cup
Auto-ignition Temperature	: > 300 °C (572°F)
Decomposition Temperature	: No data available

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Flammability (solid, gas)	: No data available
Vapor Pressure	: 0.0049 hPa
Relative Vapor Density at 20 °C	: No data available
Relative Density	: No data available
Specific Gravity	: 0.91 g/cm ³ @ 20°C
Solubility	: Water: 0.68 g/l @ 20°C
Partition coefficient: n-octanol/water	: 3.05 log Pow
Viscosity	: Not available
Viscosity, Kinematic	: 6.6 mm²/s @ 20°C
Viscosity, Dynamic	: ~6 Pa.s @ 20°C
Explosive Properties	: No data available
Oxidizing Properties	: No data available
Explosive Limits	: Not applicable

9.2. Other Information No additional information available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity: Hazardous reactions will not occur under normal conditions.

10.2 Chemical Stability: Stable at standard temperature and pressure.

10.3 Possibility of Hazardous Reactions: Hazardous polymerization will not occur.

10.4 Conditions to Avoid: Direct sunlight. Extremely high or low temperatures.

10.5 Incompatible Materials: Oxidizing agent.

10.6 Hazardous Decomposition Products: Carbon oxides (CO, CO2). Thermal decomposition generates : Corrosive vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity : Not classified

Caprylic Acid 99% FGK (\f)124-07-2

Octanoic acid (124-07-2)	
--------------------------	--

LD50 Dermal Rabbit

> 2000 mg/kg

Skin Corrosion/Irritation: Causes severe skin burns and eye damage.

Serious Eye Damage/Irritation: Causes serious eye damage.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Caprylic Acid 99% FGK (124-07-2)

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Caprylic Acid 99% FGK (124-07-2)

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

Symptoms/Injuries After Inhalation: May cause respiratory irritation.

Symptoms/Injuries After Skin Contact: Corrosive. Causes burns.

Symptoms/Injuries After Eye Contact: Causes serious eye damage.

Symptoms/Injuries After Ingestion: Ingestion is likely to be harmful or have adverse effects. May cause burns or irritation of the linings of the mouth, throat, and gastrointestinal tract.

Chronic Symptoms: None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity Ecology - General

: Harmful to aquatic life with long lasting effects. Toxic to aquatic life.

Caprylic Acid 99% FGK (124-07-2)

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Dottanic add (124-07-2) LCS0 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes (semi-static)) LCS0 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio (semi-static)) LS2. Persistence and Degradability Persistence and Degradability Caprylic Acid 99% F6K (124-07-2) Persistence and Degradability Persistence and Degradability Not established. L3. Bioaccumulative Potential Not established. Octanoic acid (124-07-2) Bioaccumulative Potential Bioaccumulative Potential Not established. Octanoic acid (124-07-2) Image: Comparison of the State	09/12/2014	EN (English US) 5/6
ICSD Fish 1 310 mg/I (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) IC SD Fish 2 110 mg/I (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) IZ.2. Persistence and Degradability Not established. IZ.3. Persistence and Degradability Not established. IZ.3. Bioaccumulative Potential Not established. IZ.4. Mobility in Soil No additional information available 0 IZ.5. Other Adverse Effects No additional information available IZ.6. Waste Disposal Recommediations: Dispose of waste material in accordance with all local, regional, national, and international regulations. Isology - Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: TRANSPORT INFORMATION IA.1. UN Number UNNo.(DOT) : 3265 UNA.0(DOT) : 3265 UOT Nono. UN3265 IA.2. UN Proper Shipping Name : Corrosive liquid, acidic, organic, n.o.5. DOT Takage (Group (DOT) : 8 - Corrosive material 49 CFR 173.136 Pazard Labels (DOT) : 8 - Corrosive IA. UN Number : 8 - Corrosive material as 149, 214, 214, 214, 214, 214, 214, 214, 214	DOT Packaging Non Bulk (49 CFR	: 203
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Interpret time: 96 h - Species: Brachydanio rerio [semi-static]) 12.3. Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Persistence and Degradability Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Bioaccumulative Potential Not established. Cap Pow 2.92 12.4. Mobility in Soil No additional information available Octanoic acid (124-07-2) Log Pow 2.92 13.1. Waste treatment methods Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations. Ecology – Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: TRANSPORT INFORMATION In Accordance With ICAO/IATA/IMDG/DOT 14.1. UN Number UN-No.(DOT) : 3265 DOT Na no. UN3265 14.2. UN Proper Shipping Name : Corrosive liquid, acidic, organic, n.o.s. (Octanoic acid) Department of Transportation (DOT) : 8 - Class 8 - Corrosive material 49 CFR 17	Packing Group (DOT) DOT Special Provisions (49 CFR 172.102) DOT Packaging Exceptions (49 CFR	 III - Minor Danger IB3 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1 and 31HA2, 31HB2, 31HN2, 31HD2 and 31HH2). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized, except for UN2672 (also see Special Provision IP8 in Table 2 for UN2672). T7 - 4 178.274(d)(2) Normal
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Not established. Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Cotancic acid (124-07-2) Log Pow 12.4. Mobility in Soil No additional information available 2.92 12.5. Other Adverse Effects No additional information available SECTION 13: DISPOSAL CONSIDERATIONS 13.1. Waste treatment methods Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations. Ecology – Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: TRANSPORT INFORMATION In Accordance With ICAO/IATA/IMDG/DOT 14.1. UN Number UN-No.(DOT) : 3265 DOT NA no. UN3265 14.2. UN Proper Shipping Name Corrosive liquid, acidic, organic, n.o.s. (Octanoic acid) Department	Hazard Labels (DOT)	: 8 - Corrosive
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Not established. Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Octanoic acid (124-07-2) Not established. Joac 2.92 12.4. Mobility in Soil No additional information available SECTION 13: DISPOSAL CONSIDERATIONS 13.1. Waste treatment methods Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations. Ecology - Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: TRANSPORT INFORMATION In Accordance With ICAO/IATA/IMDG/DOT 14.1. UN Number UN-No.(DOT) : 3265 DOT No. UN3265 14.2. UN Proper Shipping Name : Corrosive liquid, acidic, organic, n.o.s.	Hazard Classes	· ,
LCS0 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Not established. Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Cottancic acid (124-07-2) Degrow Log Pow 2.92 12.4. Mobility in Soil No additional information available SECTION 13: DISPOSAL CONSIDERATIONS 13.1. Waste treatment methods Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations. Ecology – Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: TRANSPORT INFORMATION In Accordance With ICAO/IATA/IMDG/DOT 14.1. UN Number UN-No.(DOT) : 3265		
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Not established. Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Not established. Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Bioaccumulative Potential Not established. Octanoic acid (124-07-2) Image: Comparison of the stablished. Ug Pow 2.92 12.4. Mobility in Soil No additional information available Seccriton 13: DISPOSAL CONSIDERATIONS 13.1. Waste treatment methods Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations. Ecology – Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: TRANSPORT INFORMATION In Accordance With ICAO/IATA/IMDG/DOT		
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Not established. Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Doctanoic acid (124-07-2) Not established. Log Pow 2.92 12.4. Mobility in Soil No additional information available SECTION 13: DISPOSAL CONSIDERATIONS 13.1. Waste treatment methods Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations. Ecology – Waste Materials: This material is hazardous to the aquatic environment. Keep out of sewers and waterways. SECTION 14: TRANSPORT INFORMATION		Γ
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Not established. Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Bioaccumulative Potential Not established. Octanoic acid (124-07-2) Log Pow 12.4. Mobility in Soil No additional information available 2.92 12.5. Other Adverse Effects No additional information available SECTION 13: DISPOSAL CONSIDERATIONS 13.1. Waste treatment methods Waste Disposal Recommendations: Dispose of waste material in accordance with all local, regional, national, and international regulations.		
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Not established. Octanoic acid (124-07-2) Image: Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Not established. Octanoic acid (124-07-2) Image: Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Not established. Octanoic acid (124-07-2) Image: Caprylic Acid 99% FGK (124-07-2) Log Pow 2.92 12.4. Mobility in Soil No additional information available Image: Caprylic Acid 99% FGK (124-07-2) SECTION 13: DISPOSAL CONSIDERATIONS Image: Caprylic Acid 99% FGK (124-07-2) 13.1. Waste treatment methods Image: Caprylic Acid 99% FGK (124-07-2) Second formation available Image: Caprylic Acid 99% FGK (124-07-2) 13.1. Waste treatment methods Image: Caprylic Acid 99% FGK (124-07-2)	-	is hazardous to the aquatic environment. Keep out of sewers and waterways.
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability 100 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Not established. Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Octanoic acid (124-07-2) Not established. Icag Pow 2.92 12.4. Mobility in Soil No additional information available 12.5. Other Adverse Effects No additional information available SECTION 13: DISPOSAL CONSIDERATIONS		ose of waste material in accordance with all local, regional, national, and
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Value Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established. Interval 12.3. Bioaccumulative Potential Not established. Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Octanoic acid (124-07-2) Not established. Dottoric acid (124-07-2) Interval Log Pow 2.92 12.4. Mobility in Soil No additional information available Interval 12.5. Other Adverse Effects No additional information available		BERAHORS
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Value Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established. Image: Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Not established. Octanoic acid (124-07-2) Image: Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Not established. Octanoic acid (124-07-2) Image: Caprylic Acid 99% FGK (124-07-2) Log Pow 2.92 12.4. Mobility in Soil No additional information available Image: Caprylic Acid 99% Effects		DERATIONS
LC50 Fish 1310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])LC 50 Fish 2110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])12.2. Persistence and DegradabilityIt exposure time: 96 h - Species: Brachydanio rerio [semi-static])12.2. Persistence and DegradabilityNot established.Caprylic Acid 99% FGK (124-07-2)Persistence and DegradabilityNot established.12.3. Bioaccumulative PotentialCaprylic Acid 99% FGK (124-07-2)Bioaccumulative PotentialNot established.Octanoic acid (124-07-2)Bioaccumulative PotentialNot established.Octanoic acid (124-07-2)2.92		
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability It (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Persistence and Degradability Caprylic Acid 99% FGK (124-07-2) Not established. 12.3. Bioaccumulative Potential Caprylic Acid 99% FGK (124-07-2) Bioaccumulative Potential Not established. Octanoic acid (124-07-2) Versite acid (124-07-2)	-	nformation available
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Value Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established. Image: State of the state of	• •	2.92
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established. 12.3. Bioaccumulative Potential Image: Species in the species		Not established.
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Caprylic Acid 99% FGK (124-07-2) Persistence and Degradability Not established.		
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static]) LC 50 Fish 2 110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static]) 12.2. Persistence and Degradability Caprylic Acid 99% FGK (124-07-2)		Not established.
LC50 Fish 1310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])LC 50 Fish 2110 mg/l (Exposure time: 96 h - Species: Brachydanio rerio [semi-static])		
LC50 Fish 1 310 mg/l (Exposure time: 96 h - Species: Oryzias latipes [semi-static])	12.2. Persistence and Degradability	
	Octanoic acid (124-07-2)	310 mg/l (Exposure time: 96 h - Species: Oryzias latines [semi-static])

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

	,	-//			
	ackaging Bulk (49 CFR 173.xxx) Additional Information	: 241			
	ency Response Guide (ERG)	: 153			
Numb					
Other	information	: No supplementary information available.			
Trans	port by Sea				
DOT V	essel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on			
		a passenger vessel.			
DOT V	essel Stowage Other	: 40 - Stow "clear of living quarters"			
Air Tr	ansport				
	Quantity Limitations Passenger	: 5L			
	ft/Rail (49 CFR 173.27)				
	Quantity Limitations Cargo Aircraft	: 60 L			
	49 CFR 175.75)				
SECT	TION 15: REGULATORY IN	FORMATION			
15.1	US Federal Regulations				
	lic Acid 99% FGK (124-07-2)				
SARA	Section 311/312 Hazard Classes	Immediate (acute) health hazard			
Octan	Octanoic acid (124-07-2)				
Listed	on the United States TSCA (Toxic Su	Ibstances Control Act) inventory			
15.2 US State Regulations					
Octan	oic acid (124-07-2)				
	Texas - Effects Screening Levels - Loi	-			
U.S Texas - Effects Screening Levels - Short Term					
SECTION 16: OTHER INFORMATION					
Revisi	on date	: 09/12/2014			
Other	Information	: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.			
GHS F	ull Text Phrases:				
	Eye Dam. 1	Serious eye damage/eye irritation Category 1			
	Skin Corr 1B	Skin correction / irritation Category 1P			

Eye Dam. 1	Serious eye damage/eye irritation Category 1
Skin Corr. 1B	Skin corrosion/irritation Category 1B
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

The data herein are based on our current knowledge and believed to be reliable. Acme-Hardesty Co., provides this information without any representation or warranty, expressed or implied, regarding its accuracy or correctness.

Users must make their own determination that handling, storage, use and disposal of the product in the anticipated manner is safe and appropriate. Because these actions of the user are out of our control, and may be beyond our knowledge, we do not assume responsibility and expressly disclaim liability for loss, damage, expense or any other claim arising out of or in any way connected with the handling, storage, use or disposal of the product or container.

SDS US (GHS HazCom) - ACME Hardesty