

Safety Data Sheet According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of Issue: 06/10/2016 Supersedes: 03/19/2015

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY

1.1. Product Identifier

Product Form: Substance Product Name: Castor Oil USP CAS No: 8001-79-4 Synonyms: Castor Oil

### **1.2.** Intended Use of the Product

Use of the substance/mixture: Lubricants; FDA cited applications

## 1.3. Name, Address, and Telephone of the Responsible Party

Company

Acme-Hardesty Co 450 Sentry Parkway Blue Bell, PA 19422 T 866-226-3834 T 215-591-3610 www.acme-hardesty.com

## **1.4.** Emergency Telephone Number

Emergency Number : 800-424-9300

For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident, call CHEMTREC – Day or Night

# SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the Substance or Mixture

GHS-US classification

Skin Irrit. 2 H315 Eye Irrit. 2B H320 Full text of hazard classes and H-statements : see section 16

# 2.2. Label Elements

GHS-US Labeling

Hazard Pictograms (GHS-US)



Signal Word (GHS-US)	: Warning
Hazard Statements (GHS-US)	: H315 - Causes skin irritation
	H320 - Causes eye irritation
Precautionary Statements (GHS-US)	: P264 - Wash exposed areas. thoroughly after handling.
	P280 - Wear protective gloves, protective clothing, and eye protection.
	P302+P352 - If on skin: Wash with plenty of water.
	P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes.
	Remove contact lenses, if present and easy to do. Continue rinsing.
	P321 - Specific treatment (see section 4 on this SDS).
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
	P362+P364 - Take off contaminated clothing and wash it before reuse.

## 2.3. Other Hazards

No additional information available

### 2.4. Unknown Acute Toxicity (GHS-US)

No data available

Version: 1.0

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.1. Substance

Name	: Castor Oil USP
CAS No	: 8001-79-4

Name	Product Identifier	%	GHS-US classification
Castor oil	(CAS No) 8001-79-4	100	Skin Irrit. 2, H315
			Eye Irrit. 2B, H320

## 3.2. Mixture

Not applicable

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

#### 4.1. Description of First Aid Measures

**First-aid Measures General**: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid Measures After Inhalation: When symptoms occur: go into open air and ventilate suspected area.

**First-aid Measures After Skin Contact**: Remove contaminated clothing. Drench affected area with water for at least 15 minutes.

**First-aid Measures After Eye Contact**: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

First-aid Measures After Ingestion: Rinse mouth. Do NOT induce vomiting.

#### 4.2. Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms/Injuries: Eye irritation. Causes skin irritation.

**Symptoms/Injuries After Inhalation:** Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Symptoms/Injuries After Ingestion: If a large quantity has been ingested: May cause nausea, vomiting, and diarrhea.

#### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

If medical advice is needed, have product container or label at hand.

# SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing Media

Suitable Extinguishing Media: Alcohol foam, dry chemical, carbon dioxide, water spray, fog.

**Unsuitable Extinguishing Media:** Do not use a heavy water stream. Use of heavy stream of water may spread fire.

### 5.2. Special Hazards Arising From the Substance or Mixture

Fire Hazard: Not flammable.

Explosion Hazard: Product is not explosive.

Reactivity: Stable at ambient temperature and under normal conditions of use.

#### 5.3. Advice for Firefighters

Firefighting Instructions: Exercise caution when fighting any chemical fire.

Protection During Firefighting: Do not enter fire area without proper protective equipment, including respiratory protection.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

General Measures: Caution : this product can cause the floor to be very slippery.

#### 6.1.1. For Non-emergency Personnel

Protective Equipment: Use appropriate personal protection equipment (PPE).

Emergency Procedures: Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Responders

**Protective Equipment:** Equip cleanup crew with proper protection.

Emergency Procedures: Ventilate area.

## 6.2. Environmental Precautions

Prevent entry to sewers and public waters.

## 6.3. Methods and Material for Containment and Cleaning Up

For Containment: Absorb and/or contain spill with inert material, then place in suitable container.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Methods for Cleaning Up: Clean up spills immediately and dispose of waste safely.

#### 6.4. Reference to Other Sections

See heading 8, Exposure Controls and Personal Protection.

## **SECTION 7: HANDLING AND STORAGE**

## 7.1. Precautions for Safe Handling

**Hygiene Measures:** Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and again when leaving work. Do not eat, drink or smoke when using this product.

#### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Storage Conditions:** Store in a dry, cool and well-ventilated place. Keep container closed when not in use. **Incompatible Products:** Strong oxidizers.

**Storage Temperature:** : In bulk, store at about 5-10°C above melting point or at ambient temperature.

**Storage Area:** Temperature higher than necessary degrades quality at rates dependent on time and temperature of exposure. **Special Rules on Packaging:** Stainless steel preferred for storage.

#### 7.3. Specific End Use(s)

Lubricants; FDA cited applications

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### 8.1. Control Parameters

For substances listed in section 3 that are not listed here, there are no established exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), or OSHA (PEL).

## 8.2. Exposure Controls

**Personal Protective Equipment** 

: Gloves. Safety glasses.



Hand Protection	: Wear chemically resistant protective gloves. The breakthrough time of the selected
	gloves must be greater than the intended use period.
Eye Protection	: Chemical goggles or safety glasses.
<b>Respiratory Protection</b>	: In case of inadequate ventilation wear respiratory protection.
Other Information	: When using, do not eat, drink or smoke.

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1. Information on Basic Physical and Chemical Properties

5.1. Information on Busic r hysical and chem	ilear roperties
Physical State	: Liquid
Appearance	: Viscous. yellowish.
Odor	: Characteristic.
Odor Threshold	: No data available
рН	: No data available
Relative Evaporation Rate (butylacetate=1)	: No data available
Melting Point	: No data available
Freezing Point	: No data available
Boiling Point	: > 300 °C (572 °F)
Flash Point	: >200 °C (392 °F)
Auto-ignition Temperature	: No data available
Decomposition Temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor Pressure	: No data available
Relative Vapor Density at 20 °C	: No data available
Relative Density	: No data available
Specific Gravity	: 0.961 g/cm <sup>3</sup> @25°C
Solubility	: Insoluble.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Partition Coefficient: N-Octanol/Water	: Not available
Viscosity	: 600 - 800 cSt @25°C
Explosive Properties	: No data available
Oxidizing Properties	: No data available
Explosive Limits	: Not applicable

**9.2. Other Information** No additional information available

# SECTION 10: STABILITY AND REACTIVITY

**10.1 Reactivity:** Stable at ambient temperature and under normal conditions of use.

**10.2** Chemical Stability: Product is stable.

**10.3 Possibility of Hazardous Reactions:** Hazardous polymerization will not occur.

10.4 Conditions to Avoid: Direct sunlight. Extremely high or low temperatures.

**10.5** Incompatible Materials: Strong acids. Strong bases. Strong oxidizers.

**10.6** Hazardous Decomposition Products: Under fire conditions this material may produce hazardous carbon dioxide (CO2), carbon monoxide (CO), various low molecular weight hydrocarbons, and smoke.

#### carbon monoxide (CO), various low molecular weight hydrocarbons, and

# SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information On Toxicological Effects

Acute Toxicity : Not classified

Castor Oil USP (8001-79-4)

Skin Corrosion/Irritation: Causes skin irritation.

Serious Eye Damage/Irritation: Causes eye irritation.

Respiratory or Skin Sensitization: Not classified

Germ Cell Mutagenicity: Not classified

Carcinogenicity: Not classified

Castor Oil USP (8001-79-4)

Reproductive Toxicity: Not classified

Specific Target Organ Toxicity (Single Exposure): Not classified

Castor Oil USP (8001-79-4)

Specific Target Organ Toxicity (Repeated Exposure): Not classified

Aspiration Hazard: Not classified

**Symptoms/Injuries After Inhalation:** Not expected to present a significant inhalation hazard under anticipated conditions of normal use.

Symptoms/Injuries After Skin Contact: Redness, pain, swelling, itching, burning, dryness, and dermatitis.

Symptoms/Injuries After Eye Contact: Redness, pain, swelling, itching, burning, tearing, and blurred vision.

Symptoms/Injuries After Ingestion: If a large quantity has been ingested: May cause nausea, vomiting, and diarrhea.

# **SECTION 12: ECOLOGICAL INFORMATION**

**12.1. Toxicity** No additional information available

12.2.	Persistence and Degradability
-------	-------------------------------

Castor Oil USP (8001-79-4)	
Persistence and Degradability	Not established.
12.3. Bioaccumulative Potential	
Castor Oil USP (8001-79-4)	

**Bioaccumulative Potential** 

Not established.

**12.4. Mobility in Soil** No additional information available

#### 12.5. Other Adverse Effects

**Other Information** : Avoid release to the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste Disposal Recommendations:** Dispose of waste material in accordance with all local, regional, national, and international regulations.

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## **SECTION 14: TRANSPORT INFORMATION**

In Accordance With ICAO/IATA/IMDG/DOT

#### **14.1. UN Number** Not regulated for transport

**14.2.** UN Proper Shipping Name Not regulated for transport

#### 14.3. Additional Information

Other information

: No supplementary information available.

Transport by Sea Not regulated for transport

Air Transport Not regulated for transport

## SECTION 15: REGULATORY INFORMATION

15.1 US Federal Regulations

Castor oil (8001-79-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2 US State Regulations Neither this product nor its chemical components appear on any US state lists.

:

## **SECTION 16: OTHER INFORMATION**

**Revision Date** 

**Other Information** 

: This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

#### GHS Full Text Phrases:

Eye Irrit. 2B	Serious eye damage/eye irritation Category 2B
Skin Irrit. 2	Skin corrosion/irritation Category 2
H315	Causes skin irritation
H320	Causes eye irritation

The data herein are based on our current knowledge and believed to be reliable. Acme-Hardesty Co., provides this information without any representation or warranty, expressed or implied, regarding its accuracy or correctness.

Users must make their own determination that handling, storage, use and disposal of the product in the anticipated manner is safe and appropriate. Because these actions of the user are out of our control, and may be beyond our knowledge, we do not assume responsibility and expressly disclaim liability for loss, damage, expense or any other claim arising out of or in any way connected with the handling, storage, use or disposal of the product or container.

Acme Hardesty US GHS SDS